

Environmentally Friendly Alternatives to Hazardous Household Cleaners.

Visit our website at www.dsrsd.com for information about water conservation, drought tolerant plants, pollution prevention and rebates.





PREVENTION: Place a sheet of aluminum foil underneath heating element to catch spills.

TO CLEAN: Scrub with baking soda and water, using a copper scrubber and lots of elbow grease. OR... wet spill and sprinkle with salt while your oven is warm. Scrap away spill and wash with soap and water. OR... spray on a mixture of 1 quart warm water, 2 teaspoons borax, 2 teaspoons liquid soap, wait 20 minutes, then clean. **DO NOT** use baking soda on heating elements or wiring. **DO NOT** use abrasive materials on self-cleaning ovens.



Recipe Recipe Recipe Recipe Recipe

Recipe

Recipe

Recipe

FOR FURNITURE POLISH

Apply olive oil or almond oil and rub in.

Allow to stand several hours, then polish with soft, dry cloth.



Recipe · Rec

PREVENTION:

Use a drain trap to catch food and hair. Collect cooking grease in a can.

Pour 1/2 cup baking soda down drain, followed by 1/2 cup vinegar. Cover drain.

Allow to stand 15 minutes, then flush with 2 quarts boiling water.





Use equal amounts of vinegar and water in a pump spray bottle.

Spray glass and dry with paper towels.

To remove streaks after drying, wipe with newspaper.



Recipe • Rec

Sprinkle baking soda into toilet and scrub.





Use baking soda and scrub with a scrubbing pad.

Or,

sprinkle baking soda on a wet sponge and add vinegar on top.



Recipe · Rec

Dip half a lemon in kosher salt and rub well.

Then polish with a soft cloth and beeswax for a deep shine.

Table salt and vinegar remove oxidation from copper.





Use vinegar and wipe dry.

To remove soap scum, clean with baby oil.



Recipe Recipe Recipe Recipe Recipe

Recipe

Recipe

Recipe

Recipe

FOR MILDEW REMOVER

Use equal parts vinegar and salt.



Recipe Recipe Recipe Recipe Recipe Recipe Recipe Recipe Recipe FOR STAIN REMOVER

1 part glycerin
1 part liquid dishwashing detergent
8 parts water
Test on unexposed area of fabric first.
Apply to stain as soon as possible and blot with a cloth.
Shake well before each use.
Store in a plastic squeeze bottle.





Lay the stained area on top of a clean dry white towel. Apply rubbing alcohol to the ink stain and blot with another clean white cloth, removing the stain as you blot. Rinse thoroughly.

Apply your normal liquid laundry detergent onto the ink stain and allow the garment to sit for 3-5 minutes.

Wash in the warmest water that the fabric can tolerate.

Before drying, double check to make sure the stain was removed. If not, repeat the previous steps until it is.